

Regular Wall Jar Specs

Capacity - Thread	Clear Styrene			Natural Polypro			White Polypro		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
1/4 oz - 33mm	24	2783	35	30	2783	30	30	2783	30
1/2 oz - 33mm	24	2024	33	30	2024	28	30	2024	29
7/8 oz - 33mm	24	1452	32	30	1452	27	30	1300 <i>BP</i>	25
1 oz - 38mm	24	950	25	30	950	20	30	950	20
1 1/2 oz - 38mm	24	760	24	30	760	20	30	760	20
1/2 oz - 43mm	24	1485	24	30	1485 <i>BP</i>	20	30	1485 <i>BP</i>	20
1 oz - 43mm	24	980	26	30	980	22	30	980	22
2 oz - 43mm	24	560	22	30	560	19	30	560	19
2 oz - 48mm	24	585	23	30	585	19	30	585	19
2 oz - 53mm	24	588	22	30	588	20	30	588	20
3 oz - 53mm	24	336	17	30	336	15	30	336	15
3 oz - 58mm	24	432	21	30	432	19	30	432	19
4 oz - 58mm	24	280	17	30	280	15	30	280	15
6 oz - 63mm	24	180	15	15	504	32 *	15	504	32 *
8 oz - 63mm	24	180	17	15	378	30 *	15	378	30 *
10 oz - 63mm	24	120	14	15	315	29 *	15	315	29 *
12 oz - 63mm	24	120	17	15	252	28 *	15	252	28 *
2 oz - 70mm	24	405	19	15	960	37 *	15	960	37 *
4 oz - 70mm	24	250	17	15	528	30 *	15	528	30 *
6 oz - 70mm	24	200	16	15	432	30 *	15	432	30 *
8 oz - 70mm	24	150	14	15	336	27 *	15	336	27 *
4 oz - 89mm	24	224	17	15	510	33 *	15	510	33 *
6 oz - 89mm	24	168	16	15	390	30 *	15	390	30 *
8 oz - 89mm	24	140	15	15	300	26 *	15	300	26 *
12 oz - 89mm	24	112	13	15	240	26 *	15	240	26 *
16 oz - 89mm	24	84	13	15	180	18 *	15	180	18 *
20 oz - 89mm	24	56	11	15	150	22 *	15	150	22 *
16 oz - 120mm	24	75	13	15	165	24 *	15	165	24 *
24 oz - 120mm	24	60	13	15	120	22 *	15	120	22 *
32 oz - 120mm	24	45	11	15	90	19 *	15	90	19 *
40 oz - 120mm	24	30	10	15	75	19 *	15	75	19 *

* = **Oversized** - Minimum UPS Charge for an oversized box is 30lbs. If actual case weight is less than 30lbs, Calculate UPS PP/A charges based on a weight of 30lbs. Pallets weigh 60lbs.
Full Truckload is 24 Pallets - Pallets cannot be stacked in a Standard Trailer.

Thick Wall Jar Specs

Capacity - Thread	Clear Styrene			Natural Polypro			White Polypro		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
1/4 oz - 33mm	24	2310	55	30	2310	47	30	2310	47
1/2 oz - 43mm	24	1232	44	30	1232	37	30	1232 <i>BP</i>	36
1 oz - 43mm	24	784	41	30	784	35	30	784	35
1/2 oz - 53mm	24	1232	39	30	1232	34	30	1232	32
2 oz - 53mm	24	504	44	30	504	36	30	504	36
2 oz - 58mm	-	-	-	-	-	-	30	420	52
3 oz - 58mm	24	396	36	30	396	32	30	396	32
1 oz - 70mm	24	560	34	30	560	30	30	560	30
2 oz - 70mm	24	360	30	30	360	26	30	360	26
3 oz - 70mm	24	280	32	30	280	28	30	280	28
4 oz - 70mm	24	200	34	30	200	29	30	200	29
6 oz - 70mm	24	160	31	30	160	26	30	160	26
4 oz - 89mm	24	216	28	30	216	24	30	216	24
6 oz - 89mm	24	162	28	30	162	24	30	162	24
8 oz - 89mm	24	120	29	30	135	28	30	135	28
12 oz - 89mm	24	112	24	30	112	21	30	112	21
16 oz - 89mm	24	84	24	30	84	21	30	84	21
16 oz - 120mm	24	75	26	30	75	22	30	75	22

Tapered Thick Wall Jar Specs

Capacity - Thread	Clear Styrene			Natural Polypro			White Polypro		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
1 oz - 43mm	24	784	31	30	784	26	30	784	26
4 oz - 63mm	24	275	28	30	275	24	30	275	24

Frostique Thick Wall Jar Specs

Capacity - Thread	Clear Styrene			Natural Polypro			White Polypro		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
2 oz - 53mm	-	-	-	30	504	36	-	-	-
4 oz - 70mm	-	-	-	30	200	28	-	-	-

Wax Containers & Jewelry Baskets

Capacity - Thread	Marble Polypro / Clear Styrene			Natural Polypro			White Polypro		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
Jewelry Basket For 4oz - 70mm Jar	30	600 <i>BP</i>	36	30	600 <i>BP</i>	36	30	600 <i>BP</i>	36
Jewelry Basket For 4oz - 70mm Jar	30	600 <i>BP</i>	36	30	600 <i>BP</i>	36	30	600 <i>BP</i>	36
10oz - 100mm Wax Cans	30	0	27	30	1100	17	30	1200	21
Don't Forget Lids!!									
16oz - 120mm Wax Cans	30	0	31	30	1100	17	30	1100	22
Don't Forget Lids!!									

* = **Oversized** - Minimum UPS Charge for an oversized box is 30lbs. If actual case weight is less than 30lbs, Calculate UPS PP/A charges based on a weight of 30lbs. Pallets weigh 60lbs. Full Truckload is 24 Pallets - Pallets cannot be stacked in a Standard Trailer.

Cap Shipping Specs

Smooth & Ribbed Caps

Thread	Unlined			Lined		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
33 mm	30	4000 <i>BP</i>	23	30	4000 <i>BP</i>	26
38 mm	30	2900 <i>BP</i>	20	30	2900 <i>BP</i>	22
43 mm	30	2400 <i>BP</i>	22	30	2400 <i>BP</i>	25
48 mm	30	1700 <i>BP</i>	19	30	1700 <i>BP</i>	21
53 mm	30	1500 <i>BP</i>	21	30	1500 <i>BP</i>	24
58 mm	30	1200 <i>BP</i>	18	30	1200 <i>BP</i>	21
63 mm	30	1100 <i>BP</i>	19	30	1100 <i>BP</i>	22
70 mm	30	900 <i>BP</i>	19	30	900 <i>BP</i>	21
89 mm	30	504	18	30	504	21
120 mm	30	240	18	30	240	20


Domed Caps

Thread	Unlined			Lined		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
33 mm	-	-	-	-	-	-
38 mm	-	-	-	-	-	-
43 mm	-	-	-	-	-	-
48 mm	-	-	-	-	-	-
53 mm	30	1400 <i>BP</i>	17	30	1400 <i>BP</i>	20
58 mm	30	1100	17	30	1100 <i>BP</i>	20
63 mm	-	-	-	-	-	-
70 mm	30	700 <i>BP</i>	20	30	700 <i>BP</i>	23
89 mm	30	408	17	30	408	19
120 mm	30	210	16	30	210	20

Disk Liners


Thread	Disk Liners			Metal Caps		
	CS/PLT	PCS/BOX	LBS	CS/PLT	PCS/BOX	LBS
33 mm	30	4000 <i>BP</i>	9	-	-	-
38 mm	-	-	-	-	-	-
43 mm	30	4500 <i>BP</i>	16	-	-	-
48 mm	30	3500 <i>BP</i>	19	-	-	-
53 mm	30	1200 <i>BP</i>	8	-	-	-
58 mm	30	2200 <i>BP</i>	16	2000 W	2000 W	48
63 mm	30	1900 <i>BP</i>	15	1400 B	1400 B	38
70 mm	30	700 <i>BP</i>	8	1400 B	1400 B	46
89 mm	30	550 <i>BP</i>	9	-	-	-
120 mm	30	250 <i>BP</i>	8	-	-	-

Caps Coding Cheat Sheet



- "C" for Cap
- mm Size (033 to 120)
- "C4" for "Continuous Thread CT-400"
- SP = Smooth Polypro
RP = Ribbed Polypro a.k.a F/R "Fine Ribbed"
RS = Ribbed Smooth - Only available in 43mm
DP = Domed Polypro
- TS = Lined with F-217 TriSeal Liner
LI = Linerless or Unlined Cap
- B = Black - Don't forget Black Cap Blurb!
N = Natural
W = White

Dust Disks Coding Cheat Sheet



- "C" for Closure-like Dust Disk
- mm Size (033 to 120)
- "CD" for "Circular Disk"
- PP = PolyPro
PE = PolyEthylene

Unishell / Black, White & Gold

Thread	CS/PLT	PCS/BOX	LBS
33 mm	30	3800	48
38 mm	-	-	-
43 mm	30	2835 <i>W/G</i>	53
	30	2200 <i>B</i>	37
48 mm	-	-	-
53 mm	30	1400 <i>W</i>	35
	30	2048 <i>B</i>	54
58 mm	30	1856	50
63 mm	-	-	-
70 mm	30	1323 <i>W</i>	54
89 mm	-	-	-
120 mm	-	-	-

Pallets weigh 60lbs.
Full Truckload is 24 Pallets - Pallets cannot be stacked in a Standard Trailer.